TABLE A-2

INDUCED ABORTIONS BY GESTATION AND TYPE OF ABORTION PROCEDURE MAINE STATE TOTALS, 2011 (OCCURRENCE DATA)

| | | PERCENT | * * * | * * * : | * * * : | * * * : | * * * * | WEE | KS OF | GESTAT: | EON * | * * * | * * * | * * * | * * * | * * * |
|---|-------|---------|---------------|-------------|------------|-----------|-----------|-----------|-----------|----------|-------|----------|----------|-------|----------|-------|
| TERMINATION PROCEDURE | TOTAL | DIST. | <9 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20+ | Unk. |
| PRIMARY PROCEDURE THAT TERMINATED PREGNANCY | | | | | | | | | | | | | | | | |
| Suction Curettage | 1,393 | 78.6 | 877 | 166 | 103 | 92 | 85 | 52 | 15 | 3 | 0 | 0 | 0 | 0 | 0 | 0 |
| Sharp Curettage | 1 | 0.1 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Dialation and Evacuation | 17 | 1.0 | 12 | 0 | 1 | 0 | 1 | 1 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 |
| Intra-uterine Instillation | 0 | 0.0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Medical (Nonsurgical) | 357 | 20.1 | 333 | 10 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 2 | 4 | 0 | 6 | 0 |
| Hysterotomy/Hysterectomy | 0 | 0.0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Other | 0 | 0.0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Unknown | 5 | 0.3 | 3 | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| STATE TOTALS PERCENT DISTRIBUTION | 1,773 | 100.0 | 1,225 69.1 | 177 10.0 | 105 5.9 | 93 5.2 | 87 4.9 | 53 3.0 | 16 0.9 | 5 0.3 | 0.0 | 2 0.1 | 4 0.2 | 0.0 | 6 0.3 | 0.0 |
| ADDITIONAL PROCEDURES USED | | | | | | | | | | | | | | | | |
| Suction Curettage | 0 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Sharp Curettage | 0 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Dialation and Evacuation | 0 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Intra-uterine Instillation | 0 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Medical (Nonsurgical) | 0 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Hysterotomy/Hysterectomy | 0 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Other | 0 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| STATE TOTALS | 0 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| PERCENT DISTRIBUTION | | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |

NOTES: (1) Percentages may not add to 100 due to rounding. (2) If the clinical estimate of gestation was unknown, an estimate based on date of last normal menses was substituted. (3) Prepared by Maine Department of Health and Human Services,
Maine Center for Disease Control and Prevention, Data, Research and Vital Statistics. [VSTAB_A2.SAS, 08/31/2015]

TABLE A-4 INDUCED ABORTIONS BY GESTATION, AGE OF PATIENT AND RACE
MAINE STATE TOTALS, 2011 (OCCURRENCE DATA)

| AGE AND RACE | | ERCENT | * * * : | * * * * | * * * * | * * * * | | WELL | | GESTATI | | * * * | * * * | * * * | * * * | * * * |
|------------------------|---------|--------|---------|---------|---------|---------|-----|------|-----|---------|-----|-------|-------|-------|-------|-------|
| OF PATIENT | TOTAL D | DIST. | <9 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20+ | Unk. |
| AGE IN YEARS | | | | | | | | | | | | | | | | |
| Less Than 10 | 3 | 0.2 | 2 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 10-14 | 7 | 0.4 | 5 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 15 | 9 | 0.5 | 8 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 16 | 21 | 1.2 | 15 | 2 | 1 | 1 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 17 | 48 | 2.7 | 28 | 6 | 1 | 8 | 1 | 2 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 |
| 18 | 81 | 4.6 | 41 | 14 | 15 | 3 | 2 | 4 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 |
| 19 | 95 | 5.4 | 68 | 10 | 5 | 7 | 3 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 20-24 | 616 | 34.7 | 418 | 66 | 34 | 34 | 35 | 19 | 7 | 2 | 0 | 0 | 0 | 0 | 1 | 0 |
| 25-29 | 415 | 23.4 | 291 | 34 | 23 | 22 | 25 | 12 | 3 | 1 | 0 | 2 | 1 | 0 | 1 | 0 |
| 30-34 | 260 | 14.7 | 190 | 24 | 16 | 7 | 9 | 8 | 3 | 0 | 0 | 0 | 1 | 0 | 2 | 0 |
| 35-39 | 155 | 8.7 | 107 | 16 | 9 | 7 | 9 | 3 | 2 | 0 | 0 | 0 | 2 | 0 | 0 | 0 |
| 40-44 | 50 | 2.8 | 41 | 3 | 0 | 3 | 1 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Greater Than 44 | 2 | 0.1 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Unknown | 11 | 0.6 | 9 | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| STATE TOTALS | 1,773 | | 1,225 | 177 | 105 | 93 | 87 | 53 | 16 | 5 | 0 | 2 | 4 | 0 | 6 | 0 |
| PERCENT DISTRIBUTION | 1 | 00.0 | 69.1 | 10.0 | 5.9 | 5.2 | 4.9 | 3.0 | 0.9 | 0.3 | 0.0 | 0.1 | 0.2 | 0.0 | 0.3 | 0.0 |
| RACE | | | | | | | | | | | | | | | | |
| White | 1,607 | 90.6 | 1,120 | 160 | 97 | 82 | 77 | 49 | 13 | 3 | 0 | 1 | 1 | 0 | 4 | 0 |
| Black | 49 | 2.8 | 29 | 7 | 3 | 1 | 5 | 2 | 1 | 0 | 0 | 0 | 1 | 0 | 0 | 0 |
| American Indian | 41 | 2.3 | 25 | 5 | 1 | 4 | 2 | 2 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 |
| Asian/Pacific Islander | 15 | 0.8 | 13 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Other | 48 | 2.7 | 33 | 3 | 3 | 4 | 3 | 0 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 |
| Unknown | 13 | 0.7 | 5 | 1 | 1 | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 2 | 0 | 2 | 0 |
| STATE TOTALS | 1,773 | | 1,225 | 177 | 105 | 93 | 87 | 53 | 16 | 5 | 0 | 2 | 4 | 0 | 6 | 0 |
| PERCENT DISTRIBUTION | 1 | 00.0 | 69.1 | 10.0 | 5.9 | 5.2 | 4.9 | 3.0 | 0.9 | 0.3 | 0.0 | 0.1 | 0.2 | 0.0 | 0.3 | 0.0 |

NOTES: (1) Percentages may not add to 100 due to rounding. (2) If the clinical estimate of gestation was unknown, an estimate based on the date of last normal menses was substituted. (3) Prepared by Maine Department of Health and Human Services, Maine Center for Disease Control and Prevention, Data, Research and Vital Statistics. [VSTAB_A4.SAS, 09/30/2015]

TABLE A-6 INDUCED ABORTIONS BY RACE, AGE OF PATIENT AND MARITAL STATUS

MAINE STATE TOTALS, 2011 (OCCURRENCE DATA)

| AGE AND MARITAL STATUS | | PERCENT | * * * * * | . * * * * * * | * * * * | RACE * * * | * * * * * * * | * * * * * |
|------------------------|-------|---------|-----------|---------------|---------|------------|---------------|-----------|
| OF PATIENT | TOTAL | DIST. | White | Black | Indian | Asian | Other | Unknown |
| AGE IN YEARS | | | | | | | | |
| Less Than 10 | 3 | 0.2 | 1 | 0 | 0 | 0 | 1 | 1 |
| 10-14 | 7 | 0.4 | 7 | 0 | 0 | 0 | 0 | 0 |
| 15 | 9 | 0.5 | 9 | 0 | 0 | 0 | 0 | 0 |
| 16 | 21 | 1.2 | 19 | 0 | 2 | 0 | 0 | 0 |
| 17 | 48 | 2.7 | 44 | 1 | 0 | 0 | 2 | 1 |
| 18 | 81 | 4.6 | 77 | 2 | 0 | 0 | 2 | 0 |
| 19 | 95 | 5.4 | 92 | 2 | 1 | 0 | 0 | 0 |
| 20-24 | 616 | 34.7 | 554 | 26 | 13 | 7 | 13 | 3 |
| 25-29 | 415 | 23.4 | 376 | 8 | 11 | 4 | 14 | 2 |
| 30-34 | 260 | 14.7 | 234 | 6 | 7 | 3 | 7 | 3 |
| 35-39 | 155 | 8.7 | 136 | 3 | 7 | 1 | 6 | 2 |
| 40 - 44 | 50 | 2.8 | 47 | 1 | 0 | 0 | 2 | 0 |
| Greater Than 44 | 2 | 0.1 | 2 | 0 | 0 | 0 | 0 | 0 |
| Unknown | 11 | 0.6 | 9 | 0 | 0 | 0 | 1 | 1 |
| STATE TOTALS | 1,773 | | 1,607 | 49 | 41 | 15 | 48 | 13 |
| PERCENT DISTRIBUTION | , | 100.0 | 90.6 | 2.8 | 2.3 | 0.8 | 2.7 | 0.7 |
| MARITAL STATUS | | | | | | | | |
| Married | 260 | 14.7 | 229 | 6 | 9 | 3 | 11 | 2 |
| Not Married | 1,491 | 84.1 | 1,365 | 43 | 31 | 12 | 33 | 7 |
| Unknown | 22 | 1.2 | 13 | 0 | 1 | 0 | 4 | 3 |
| STATE TOTALS | 1,773 | | 1,607 | 49 | 41 | 15 | 48 | 12 |
| PERCENT DISTRIBUTION | | 100.0 | 90.6 | 2.8 | 2.3 | 0.8 | 2.7 | 0.7 |

NOTE: (1) Percentages may not add to 100 due to rounding. (2) Prepared by Maine Department of Health and Human Services, Maine Center for Disease Control and Prevention, Data, Research, and Vital Statistics. [VSTAB_A6.SAS, 08/31/2015]

TABLE A-9 INDUCED ABORTIONS BY NUMBER AND OUTCOME OF PREVIOUS PREGNANCIES,

AGE OF PATIENT AND MARITAL STATUS

MAINE STATE TOTALS, 2011 (OCCURRENCE DATA)

| AGE AND MARITAL | | * * * * | * * * | | * * * | * NUI | MBER AND O | | | | PREGNANCIE | | * * * * | | | * * * |
|-----------------|-------|---------|-------|--------|-------|-------|------------|-----|---------|----|------------|------|---------|----|----|-------|
| STATUS | T0T41 | | | Live B | | | | | ced Abo | | | | Spontar | | | |
| OF PATIENT | TOTAL | 0 | 1 | 2 | 3+ | Unk. | 0 | 1 | 2 | 3+ | Unk. | 0 | 1 | 2 | 3+ | Unk. |
| AGE IN YEARS | | | | | | | | | | | | | | | | |
| Less Than 10 | 3 | 1 | 0 | 0 | 0 | 2 | 1 | 0 | 0 | 0 | 2 | 1 | 0 | 0 | 0 | 2 |
| 10-14 | 7 | 7 | 0 | 0 | 0 | 0 | 6 | 1 | 0 | 0 | 0 | 7 | 0 | 0 | 0 | 0 |
| 15 | 9 | 9 | 0 | 0 | 0 | 0 | 8 | 1 | 0 | 0 | 0 | 9 | 0 | 0 | 0 | 0 |
| 16 | 21 | 20 | 1 | 0 | 0 | 0 | 20 | 1 | 0 | 0 | 0 | 20 | 1 | 0 | 0 | 0 |
| 17 | 48 | 44 | 4 | 0 | 0 | 0 | 46 | 2 | 0 | 0 | 0 | 48 | 0 | 0 | 0 | 0 |
| 18 | 81 | 72 | 9 | 0 | 0 | 0 | 72 | 9 | 0 | 0 | 0 | 79 | 2 | 0 | 0 | 0 |
| 19 | 95 | 80 | 10 | 5 | 0 | 0 | 75 | 17 | 3 | 0 | 0 | 88 | 7 | 0 | 0 | 0 |
| 20-24 | 616 | 401 | 145 | 55 | 12 | 3 | 447 | 122 | 36 | 9 | 2 | 550 | 56 | 6 | 2 | 2 |
| 25-29 | 415 | 178 | 108 | 85 | 43 | 1 | 221 | 127 | 47 | 19 | 1 | 323 | 57 | 23 | 12 | 0 |
| 30-34 | 260 | 72 | 67 | 79 | 42 | 0 | 123 | 74 | 38 | 24 | 1 | 193 | 52 | 8 | 6 | 1 |
| 35-39 | 155 | 26 | 36 | 52 | 40 | 1 | 70 | 55 | 14 | 15 | 1 | 101 | 36 | 13 | 4 | 1 |
| 40 - 44 | 50 | 14 | 8 | 17 | 11 | 0 | 23 | 16 | 9 | 2 | 0 | 36 | 7 | 4 | 3 | 0 |
| Greater Than 44 | 2 | 0 | 0 | 1 | 1 | 0 | 1 | 0 | 1 | 0 | 0 | 2 | 0 | 0 | 0 | 0 |
| Unknown | 11 | 3 | 3 | 3 | 2 | 0 | 9 | 2 | 0 | 0 | 0 | 7 | 2 | 2 | 0 | 0 |
| STATE TOTALS | 1,773 | 927 | 391 | 297 | 151 | 7 | 1,122 | 427 | 148 | 69 | 7 1 | ,464 | 220 | 56 | 27 | 6 |
| | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 1 |
| MARITAL STATUS | | | | | | | | | | | | | | | | |
| Married | 260 | 49 | 62 | 92 | 56 | 1 | 161 | 68 | 20 | 10 | 1 | 190 | 43 | 15 | 12 | 0 |
| Not Married | 1,491 | 868 | 325 | 204 | 91 | 3 | 947 | 356 | 126 | 59 | 3 1 | ,258 | 177 | 39 | 14 | 3 |
| | 1 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 |
| Unknown | 19 | 9 | 4 | 1 | 4 | 1 | 13 | 3 | 2 | 0 | 1 | 15 | 0 | 2 | 1 | 1 |
| STATE TOTALS | 1,772 | 927 | 391 | 297 | 151 | 6 | 1,122 | 427 | 148 | 69 | 6 1 | ,464 | 220 | 56 | 27 | 5 |

NOTE: Prepared by Maine Department of Health and Human Services, Maine Center for Disease Control and Prevention, Data, Research, and Vital Statistics [VSTAB_A9.SAS, 08/31/2015]

Table A-10 INDUCED ABORTIONS BY STATE OR COUNTRY OF RESIDENCE MAINE STATE TOTALS, 2011 (OCCURRENCE DATA)

| STATE/COUNTRY | NUMBER OF ABORTIONS | STATE/COUNTRY | NUMBER OF ABORTIONS | | NUMBER OF ABORTIONS |
|-------------------|------------------------|----------------|------------------------|-----------------------|------------------------|
| Alabama | 0 | Maryland | 0 | South Carolina | 0 |
| Alaska | 0 | Massachusetts | 4 | South Dakota | 0 |
| Arizona | 1 | Michigan | 0 | Tennessee | 0 |
| Arkansas | 0 | Minnesota | 0 | Texas | 0 |
| California | 0 | Mississippi | 0 | Utah | 0 |
| Colorado | 0 | Missouri | 0 | Vermont | 0 |
| Connecticut | 0 | Montana | 0 | Virginia | 0 |
| Delaware | 0 | Nebraska | 0 | Washington | 0 |
| Dist. of Columbia | 0 | Nevada | 0 | West Virginia | 0 |
| Florida | 0 | New Hampshire | 37 | Wisconsin | 0 |
| Georgia | 0 | New Jersey | 0 | Wyoming | 0 |
| Hawaii | 0 | New Mexico | 0 | Puerto Rico | 0 |
| Idaho | 0 | New York | 1 | Virgin Islands | 0 |
| Illinois | 0 | North Carolina | 0 | Guam | 0 |
| Indiana | 0 | North Dakota | 0 | Canada | 2 |
| Iowa | 0 | Ohio | 0 | Cuba | 0 |
| Kansas | 0 | Oklahoma | 0 | Mexico | 0 |
| Kentucky | 0 | Oregon | 0 | Other W. Hemisphere | 0 |
| Louisiana | 0 | Pennsylvania | 1 | Rest of the World | 0 |
| Maine | 1,644 | Rhode Island | 0 | State/Country Unknown | 83 |
| | | | | TOTAL | 1,773 |

NOTE: Prepared by Maine Department of Health and Human Services, Maine Center for Disease Control and Prevention, Data, Research, and Vital Statistics. [VTAB_A10.SAS, 08/31/2015]